


# SHIPPING CONTAINER WEIGHER




## FEATURES

- Hot-Dipped Galvanized Finish
- Designed for Standard ISO 20ft x 8ft Shipping Containers
- 4 x 30t Capacity Loadcells
- Lateral and Longitudinal Restraints to Limit Movement
- Transport Locking Bolts to Enable Easy Weigher Relocation

## OPTIONS

- A Miscellaneous Weighing Area that can be used as a standard Platform Scale for weighing bulka-bags or general items. This feature allows the Shipping Container Weigher to be multi-functional.
- A Damage Prevention Barrier ensuring that Operators must lift the shipping container onto the top of the Weigher, and thus avoiding front-on collision to the Weigher.
- Locking mechanisms to lock the container on to the weigher.



**Accuweigh Pty Ltd**

WESTERN AUSTRALIA (HEAD OFFICE):  
PHONE: (08) 9259 5535

SOUTH AUSTRALIA OFFICE:  
PHONE: (08) 8447 5011

NEW SOUTH WALES (SYDNEY) OFFICE:  
PHONE: (02) 9728 4877



[www.accuweigh.com.au](http://www.accuweigh.com.au)

VICTORIA OFFICE:  
PHONE: (03) 9548 5554

NEW SOUTH WALES (NEWCASTLE) OFFICE:  
PHONE: (02) 4966 8900

QUEENSLAND OFFICE:  
PHONE: (07) 3265 5520